



Vit is a Scandinavian-style bollard with a solid design. Thanks to its vandal-proof structure, the different heights and light sources available, Vit is an effective solution to public lighting.



**ares**

VIT

Ares concept

239



**Description**

Outdoor cylindrical bollard light. Configuration: phospho-chromatised and polyester powder coated extruded aluminium pole (four colours available) with coated die-cast aluminium head, opal polycarbonate diffuser and silicone gasket.

**Versions available**

**Diffuser:**

- opal polycarbonate diffuser

**Light emission:**

- 360° emission

**Installation:**

- head and post ("with base") to be ordered separately for ground installation

**Light sources**

- 200W QT32 E27 halogen lamp
- 26W TC-D G24d-3 or 26W TC-DEL G24q-3 compact fluorescent lamp
- 42W TC-TEL Gx24q-4 compact fluorescent lamp

**Dimensions:**

- Head: Diameter: Ø180mm – Height: 500mm
- Pole with base: Diameter: Ø180mm – Height: 500/1000/1500mm

**Technical features**

- Protection Rating: IP54 • In compliance with EN 60598-1 standards
- Class of insulation: I


**Installation**

Outdoor use requires suitable flexible cables. The fitting can be installed on a concrete surface thanks to a dedicated fixing plate (to be ordered separately). Accessory on request: fixing plate with bolts and nuts

**Colours available**

- 1 white
- 2 aluminium
- 3 anthracite
- 4 black

IP54




Bollard light



The fitting is equipped with 1 cable input



Protection against impact.  
IK 09 - 10,00 joule





320100  
QT 32 150W E27

320900  
TC-D 26W G24 d-3

326100  
TC-DEL 26W G24 q-3  
Electronic ballast

322100  
TC-TEL 42W Gx24 q-4  
Electronic ballast



**POLES WITH BASE**

1805  
H 500 mm

1810  
H 1000 mm

1815  
H 1500 mm



21  
BASE PLATE AND POLE FIXING BOLTS

